

**AUCMA**

QINGDAO AUCMA IMPORT AND EXPORT CO.,LTD.

No.1 Building , Aucma Smart Industrial Park, Laoshan District, Qingdao, China

Tel: 86-532 88966289(Asia-Pacific Division 1)  
86-532 88966271(Asia-Pacific Division 2)  
86-532 88966258(America Division)  
86-532 88966295(Africa Division)  
86-532 88966287(Middle-East /Europe Division)  
86-532 88966278(E-Commerce)  
E-mail: liushuchun@aucma.com.cn  
Website: www.aucmaoverseas.com



(2022)

**AUCMA**



**HOUSEHOLD APPLIANCE**  
**CATALOGUE OF AUCMA**



# BRIEF INTRODUCTION

As world famous refrigeration equipment supplier, Aucma is one of the global leading manufacturers for Refrigeration, Environmental EV and Household Appliances. Aucma has been No. 1 on domestic sales volume for freezer products consecutively for 18 years till 2013.


Aucma Co., Ltd. was established in 1987 and got listed on A Stock Market of Shanghai Stock Exchange on Dec 29, 2000. Always aiming to be the most reliable refrigeration equipment supplier and refrigeration expert of the world, persistently carrying on motivating technology innovation in refrigeration industry, Aucma has shaped the multilevel and internationalized industry pattern with freezer, refrigerator, commercial cold chain products as core business, with ultralow temperature equipment, electric bicycle, washing machine, household appliances and automatic vending machine as development business, and with cold chain logistics equipment, new energy electrical tool vehicle and new energy home appliances as future business. With over 7000 staff, Aucma has annual output capacity of 3 million units for freezers, 3 million units for refrigerators, 5 million units for household appliances, 4 million units for washing machines, 1million units for EV and 10000 units for automatic vending machines, and has set up strong sales network covering more than 100 countries and regions of 5 continents with vigorous business growing trend. Taking refrigeration industry as our core industry, Aucma has been maintaining the international leading position in more than 10 technology areas including frequency conversion, quick and deep freezing, ultralow temperature, constant temperature, environmental energy-saving, intellectualization, green fluoride-free, MEP fresh-keeping, Internet of Things, new energy technology R&D and application. And we have successfully launched the first unit of intelligent frequency conversion freezer, freezer of IoT, Smart cloud network refrigerator, high-class 5 hinged door refrigerator, -150°C ultralow temperature freezer, solar energy and wind energy freezer, and many other new products etc, which has been constantly leading the development orientation of refrigeration industry of China.

As national brand, taking ELABORATION MAKES THE EXQUISITE, THE EXQUISITE MAKES BRAND as our consistent quality belief, Aucma has adopted 6 SIGMA international advanced system management concept through over 1000 items of strict and precise control in the whole process of R&D, manufacture and services, all of which has gained Aucma the extraordinary quality.

To build the First Brand of freezer in the world, and to be the most trustworthy refrigeration expert of the world, Aucma will firmly stick to this goal, continue in-depth study on cryogenic and quick freezing technology, be the leader and propellant in this area, and be the leading supplier and service provider of cold chain logistics, biological cold chain, ultralow temperature equipment, and be leading brand of domestic new energy EV.







# COMPACT

## REFRIGERATOR

- ◆ 09/10 S+Pro Refrigerator
- ◆ 13/14 French Series Refrigerator
- ◆ 17/18 Cross Doors Refrigerator
- ◆ 21/22 Side-by-side Refrigerator
- ◆ 25/28 Two Door No Frost Refrigerator
- ◆ 29/34 Two Door Defrost Refrigerator
- ◆ 37/41 Single Door Deforst Refrigerator
- ◆ 43/45 No Frost Upright Freezer

## FREEZER

- ◆ 49/52 No Frost Freezer
- ◆ 55/56 Minus 60 °C Freezer
- ◆ 57/58 Top Glass Freezer
- ◆ 59/60 Combi Series Freezer
- ◆ 61/61 Recessed Top Lid Freezer
- ◆ 62/62 Isolation 55mm Freezer
- ◆ 63/65 Big Size Freezer
- ◆ 66/67 KF Series Freezer
- ◆ 68/70 N Series Freezer
- ◆ 71/72 T Series Freezer
- ◆ 73/75 R Series Freezer
- ◆ 76/76 Mini Size Freezer
- ◆ 77/83 Classic Series Freezer

## AIR CONDITIONER

- ◆ 85/90 Air Conditioner

## WASHING MACHINE

- ◆ 91/100 Washing Machine

## SMALL HOUSEHOLD APPLIANCES SERIES

- ◆ 101/106 Small Household Appliances Series



09-10

# S+Pro Refrigerator







### FAN- COOLING CIRCLING SYSTEM

Stereoscopic cold wind, keep it fresh without frost.  
3D-stereoscopic cold wind circling system distributes cold wind evenly to maintain freshness while conserving water and avoiding frost formation.



### TRANSPARENT CRISPER DRAWER


Designed for fruit and vegetable storage.  
Large volume and transparent design provide ample and visible freshness.



### DETACHABLE MULTI-GASBAG DOOR GASKET

Assure optimal cooling effect and enhance resistance to erosion.

Door gasket made of multiple gasbags will retain cool air inside and keep consistent temperature consistent while saving energy. The door gasket is detachable for easy cleaning.



### MULTIPLE MODES FOR YOUR CHOICE

Control and adjust temperature intelligently.

Modes like quick cooling, quick freezing, holiday, and ECO mode are available for selection. Other functions include temperature adjustment, power-off memory, open-door alarm, fault prompt, and Child-Lock.



### NANO SILVER IONS STERILIZATION

Sterilized by Nano-Ag+, keep freshness and stay healthy.

Nano-Ag+ ions produced by ionization make the refrigerator cleaner, keep foods fresher, and make life healthier.




### MULTI-TEMPERATURE ZONE INNOVATIVE DESIGN.

Keep the original flavor and freshness.

The multi-temperature zone allows you to conserve food by scientific classification, assigning different ingredients to separate space.







Gradually-Brightened LED Backlight

The LED backlight ensures that the light reaches every corner of the refrigerator while thinner, cooler, and more energy-efficient than traditional lighting.



MY FRESH Choice (-20~5 C )

The My Fresh Choice drawer allows you to set temperature from -20 °C to +5°C. By creating the perfect temperature environment for specific storage, you can effectively prolong freshness and keep the original taste and quality of food like birthday cakes, ice creams, and beverages.



Freely Embedded in Kitchen Cabinet

The 90° door design allows you to pull out drawers within the refrigerator to their maximum even if the fridge door is only open to 90 degrees, which enables the refrigerator to be placed and used in the most limited space.



Frosted Glass

Nano micro-engraving technology, anti-fingerprints.



Prevent Ice Crystal Formation

The three-stage temperature-variable drawer, through the exclusive air duct, ice lining, superconducting plate, and heat dissipation and preservation technology, can keep the drawer at -2.5°C to avoid ice crystal formation in meat and fish for maximum freshness and longer preservation.



Humidity Control

Humidity in the crisper can be easily adjusted to suit the type of food in storage, which is an essential variable for your products to stay in their best condition for a longer period.



Room for Maternal and Infant Foods

Generate negative ions for sterilization and deodorization.



Purify the Whole Area

Unique C-tech total-effect purification module assures your health and safety in both frozen and fresh-keeping environments.



Moisture Storage Boxes

Two moisture storage boxes with sliders allow you to set the perfect humidity level easily and respectively to keep different ingredients fresh for longer. You can store leaf vegetables in one drawer that is set to high humidity and set the other to low humidity to store apples and avocados.



Frequency Conversion Compressor

Inverter Technology will automatically adjust the compressor speed according to your different cooling demands, meanwhile realizing less energy consumption, minimum noise, and reduced wear for longer-lasting performance.



Electronic Temperature Control

The computer control panel allows for precise temperature control—able to adjust in the unit of 0.1°C. The control panel is on the top of the lid.



Easy-glide Freezer Drawer

The flexible freezer drawer enables smart storage in large volumes, allowing drawers to be pulled out easily even when the drawer is full. The quality and design of the pull-out rails ensure smooth operation and help you find your products efficiently.



Model	RF-571WPG	RF-521WPG
Total Gross Capacity (litres)	571	521
Fridge Net Capacity (litres)	227	313
Freezer Net Capacity (litres)	204	175
ATC Net Capacity (litres)	140	32
Defrosting System	No frost	No frost
Climate Class	SN/N/ST/T	SN/N/ST/T
Energy Efficiency Class	F	F
Certification	/	/
Net Weight(Kg)/Gross Weight(Kg)	121/131	108/120
Product Dimension WxDxH(mm)	910*685*1900	790*680*1900
Packing Dimension WxDxH(mm)	992*752*2005	856*738*1998
Refrigerant/amount	R600a/70g	R600a/63g
Loading Capacity(40HQ)	36	44



Model	RF-520WPG	RF-482WPG
Total Gross Capacity (litres)	520	482
Fridge Net Capacity (litres)	313	251
Freezer Net Capacity (litres)	175	176
ATC Net Capacity (litres)	32	55
Defrosting System	No frost	No frost
Climate Class	SN/N/ST/T	SN/N/ST/T
Energy Efficiency Class	F	F
Certification	CE	/
Net Weight(Kg)/Gross Weight(Kg)	100/109	120/129
Product Dimension WxDxH(mm)	790*680*1900	830*673*1910
Packing Dimension WxDxH(mm)	856*738*1998	917*750*2014
Refrigerant/amount	R600a/63g	R600a/63g
Loading Capacity(40HQ)	36	39



| 13-14

# French Series

## Refrigerator





FRENCH SERIES

REFRIGERATOR



Inverter fan motor

Inverter fan with variable frequency compressor, more energy-efficient, more powerful cooling effect, less noise.



Ion Sterilization

The free nano-silver ions in the freezer can kill harmful bacteria and viruses, maintaining a good environment for food storage.



TOP LED LIGHT

Efficient led lighting is thinner, cooler and more energy efficient than traditional lighting. It sits at the top and beautifully and brightly illuminates every corner, ensuring better visibility.



Frequency Conversion Compressor

Inverter Technology automatically adjusts the compressor speed according to your varying cooling needs, so it consumes less energy, minimizes noise, and reduces wear so as to achieve longer-lasting performance.



Glass Door Design

The refrigerator door is made of matte surface tempered glass that is aesthetic and easy to clean.



Electronic Temperature Control

"Computer control panel, precise temperature control" Temperature adjustment at every 0.1 degree. The control panel is on the top of the lid.



Three-speed temperature shift cabin

Freeze, 0°C, and refrigeration—three temperature options are available to meet specific temperature needs for different storage.



No Frost

No Frost technology obviates manual defrosting and the problem of flavor change caused by temperature variation caused by frost. Foods can stay in their original quality for longer.



Freely embedded in kitchen cabinet

The 90° door design allows you to fully open the freezer drawer of the refrigerator and take food even if the maximum angle of the door is only 90 degrees. The refrigerator can be used and embedded in any place with limited space, such as walls.



Multi-air Flow System

The multi-air flow system distributes cold air evenly to each corner so that food reaches ideal storage temperature rapidly.



Humidity Control

You can easily adjust the humidity in the crisper to suit the type of food you are storing, which is essential to ensure that your products maintain maximum freshness as long as possible.



Easy-Glide Freezer Drawer

The flexible easy-glide Freezer Drawer helps you to store large amounts of food in a smart way. Even if the drawer is full, you can pull it out easily. The quality and design of the pull-out rails ensure smooth operation and help you find your food immediately.

FRENCH SERIES

REFRIGERATOR



Model	RF-451WPG	RF-421WPG
Total Gross Capacity (litres)	451	421
Fridge Net Capacity (litres)	276	227
Freezer Net Capacity (litres)	152	152
ATC Net Capacity (litres)	23	42
Defrosting System	No frost	No frost
Climate Class	SN/N/ST/T	SN/N/ST/T
Energy Efficiency Class	F	F
Certification	/	/
Net Weight(Kg)/Gross Weight(Kg)	106/116	105/115
Product Dimension WxDxH(mm)	703*686*1900	703*686*1900
Packing Dimension WxDxH(mm)	790*747*2010	790*747*2010
Refrigerant/amount	R600a/61g	R600a/61g
Loading Capacity(40HQ)	47	47



Model	RF-333WPG	RF-338WPG
Total Gross Capacity (litres)	333	338
Fridge Net Capacity (litres)	182	187
Freezer Net Capacity (litres)	123	123
ATC Net Capacity (litres)	28	28
Defrosting System	No frost	No frost
Climate Class	SN/N/ST/T	SN/N/ST/T
Energy Efficiency Class	F	F
Certification	/	/
Net Weight(Kg)/Gross Weight(Kg)	75/83	76/84
Product Dimension WxDxH(mm)	635*675*1800	635*675*1800
Packing Dimension WxDxH(mm)	691*722*1897	691*722*1897
Refrigerant/amount	R600a/55g	R600a/55g
Loading Capacity(40HQ)	69	69



| 17-20

# Cross Doors Refrigerator







Inverter fan motor

Inverter fan with variable frequency compressor, more energy-efficient, more powerful cooling effect, less noise.



Ion Sterilization

The free nano-silver ions in the freezer can kill harmful bacteria and viruses, maintaining a good environment for food storage.



TOP LED LIGHT

Efficient led lighting is thinner, cooler and more energy efficient than traditional lighting. It sits at the top and beautifully and brightly illuminates every corner, ensuring better visibility.



Frequency Conversion Compressor

Inverter Technology automatically adjusts the compressor speed according to your varying cooling needs, so it consumes less energy, minimizes noise, and reduces wear so as to achieve longer-lasting performance.



Glass Door Design

The refrigerator door is made of matte surface tempered glass that is aesthetic and easy to clean.



Electronic Temperature Control

"Computer control panel, precise temperature control" Temperature adjustment at every 0.1 degree. The control panel is on the top of the lid.



Three-speed temperature shift cabin

Freeze, 0°C, and refrigeration—three temperature options are available to meet specific temperature needs for different storage.



No Frost

No Frost technology obviates manual defrosting and the problem of flavor change caused by temperature variation caused by frost. Foods can stay in their original quality for longer.



Freely embedded in kitchen cabinet

The 90° door design allows you to fully open the freezer drawer of the refrigerator and take food even if the maximum angle of the door is only 90 degrees. The refrigerator can be used and embedded in any place with limited space, such as walls.



Multi-air Flow System

The multi-air flow system distributes cold air evenly to each corner so that food reaches ideal storage temperature rapidly.



Humidity Control

You can easily adjust the humidity in the crisper to suit the type of food you are storing, which is essential to ensure that your products maintain maximum freshness as long as possible.



Easy-Glide Freezer Drawer

The flexible easy-glide Freezer Drawer helps you to store large amounts of food in a smart way. Even if the drawer is full, you can pull it out easily. The quality and design of the pull-out rails ensure smooth operation and help you find your food immediately.



Model	RF-432W	RF-432WY
Total Gross Capacity (litres)	432	432
Fridge Net Capacity (litres)	253	253
Freezer Net Capacity (litres)	179	179
ATC Net Capacity (litres)	/	/
Defrosting System	No frost	No frost
Climate Class	SN/N/ST	SN/N/ST
Energy Efficiency Class	F	F
Certification	CE	CE
Net Weight(Kg)/Gross Weight(Kg)	77/85	77/85
Product Dimension WxDxH(mm)	790*640*1800	790*640*1800
Packing Dimension WxDxH(mm)	856*698*1898	856*698*1898
Refrigerant/amount	R600a/60g	R600a/60g
Loading Capacity(40HQ)	57	57



Model	RF-476W	RF-476WY
Total Gross Capacity (litres)	476	476
Fridge Net Capacity (litres)	278	278
Freezer Net Capacity (litres)	172	172
ATC Net Capacity (litres)	26	26
Defrosting System	No frost	No frost
Climate Class	SN/N/ST/T	SN/N/ST/T
Energy Efficiency Class	F	F
Certification	/	CE
Net Weight(Kg)/Gross Weight(Kg)	81/90	81/90
Product Dimension WxDxH(mm)	790*680*1800	790*680*1800
Packing Dimension WxDxH(mm)	856*738*1898	856*738*1898
Refrigerant/amount	R600a/62g	R600a/62g
Loading Capacity(40HQ)	56	56



| 23-24

# Side-by-side Refrigerator





SIDE-BY-SIDE

REFRIGERATOR



Inverter fan motor

Inverter fan with variable frequency compressor, more energy-efficient, more powerful cooling effect, less noise.



Ion Sterilization

The free nano-silver ions in the freezer can kill harmful bacteria and viruses, maintaining a good environment for food storage.



TOP LED LIGHT

Efficient led lighting is thinner, cooler and more energy efficient than traditional lighting. It sits at the top and beautifully and brightly illuminates every corner, ensuring better visibility.



Frequency Conversion Compressor

Inverter Technology automatically adjusts the compressor speed according to your varying cooling needs, so it consumes less energy, minimizes noise, and reduces wear so as to achieve longer-lasting performance.



Glass Door Design

The refrigerator door is made of matte surface tempered glass that is aesthetic and easy to clean.



Electronic Temperature Control

"Computer control panel, precise temperature control" Temperature adjustment at every 0.1 degree. The control panel is on the top of the lid.



Three-speed temperature shift cabin

Freeze, 0°C, and refrigeration—three temperature options are available to meet specific temperature needs for different storage.



No Frost

No Frost technology obviates manual defrosting and the problem of flavor change caused by temperature variation caused by frost. Foods can stay in their original quality for longer.



Freely embedded in kitchen cabinet

The 90°door design allows you to fully open the freezer drawer of the refrigerator and take food even if the maximum angle of the door is only 90 degrees. The refrigerator can be used and embedded in any place with limited space, such as walls.



Multi-air Flow System

The multi-air flow system distributes cold air evenly to each corner so that food reaches ideal storage temperature rapidly.



Humidity Control

You can easily adjust the humidity in the crisper to suit the type of food you are storing, which is essential to ensure that your products maintain maximum freshness as long as possible.



Easy-Glide Freezer Drawer

The flexible easy-glide Freezer Drawer helps you to store large amounts of food in a smart way. Even if the drawer is full, you can pull it out easily. The quality and design of the pull-out rails ensure smooth operation and help you find your food immediately.

SIDE-BY-SIDE

REFRIGERATOR



Model	RF-528W	RF-528WY
Total Gross Capacity (litres)	528	528
Fridge Net Capacity (litres)	342	342
Freezer Net Capacity (litres)	186	186
ATC Net Capacity (litres)	/	/
Defrosting System	No frost	No frost
Climate Class	SN/N/ST	SN/N/ST
Energy Efficiency Class	F	F
Certification	CE	CE
Net Weight(Kg)/Gross Weight(Kg)	80/90	80/90
Product Dimension WxDxH(mm)	910*636*1778	910*636*1778
Packing Dimension WxDxH(mm)	985*700*1865	985*700*1865
Refrigerant/amount	R600a/72g	R600a/72g
Loading Capacity(40HQ)	48	48



Model	RF-610W	RF-610WY
Total Gross Capacity (litres)	610	612
Fridge Net Capacity (litres)	390	392
Freezer Net Capacity (litres)	220	220
ATC Net Capacity (litres)	/	/
Defrosting System	No frost	No frost
Climate Class	SN/N/ST/T	SN/N/ST/T
Energy Efficiency Class	F	F
Certification	/	/
Net Weight(Kg)/Gross Weight(Kg)	86/96	86/98
Product Dimension WxDxH(mm)	910*706*1778	910*706*1778
Packing Dimension WxDxH(mm)	980*768*1868	980*768*1868
Refrigerant/amount	R600a/72g	R600a/72g
Loading Capacity(40HQ)	48	48



| 25-28


# Two Door No Frost Refrigerator





TWO DOOR NO FROST

REFRIGERATOR



LOCK & KEY OPTIONAL



ROLL-BOND EVAPORATOR




REVERSIBLE DOOR



GLASS DOOR OPTIONAL



BIG DOOR BALCONY



COLOUR CHOICE



ADJUSTABLE FEET



WIDE CLIMATE TYPE



MINI FREEZER ZONE



SEMI-AUTO DEFROST



GLASS SHELF & WIRE SHELF



LOW NOISE

TWO DOOR NO FROST

REFRIGERATOR



Model	RF-341WPG	RF-140W
Total Gross Capacity (litres)	341	140
Fridge Net Capacity (litres)	172	94
Freezer Net Capacity (litres)	128	46
Defrosting System	No frost	No frost
Climate Class	SN/N/ST/T	N
Energy Efficiency Class	1	F
Certification	/	/
Net Weight(Kg)/Gross Weight(Kg)	70	40/44
Product Dimension WxDxH(mm)	635*675*1810	485*601*1145
Packing Dimension WxDxH(mm)	691*722*1907	532*629*1226
Refrigerant/amount	R600a/55g	R600a/35g
Loading Capacity(40HQ)	69	160



Model	RF-150W	BCD-220W
Total Gross Capacity (litres)	150	220
Fridge Net Capacity (litres)	87	162
Freezer Net Capacity (litres)	63	58
Defrosting System	No frost	No frost
Climate Class	ST	N/T/ST
Energy Efficiency Class	F	E
Certification	/	CB/GCC/CE
Net Weight(Kg)/Gross Weight(Kg)	42/45	46/50
Product Dimension WxDxH(mm)	480*600*1303	545*580*1439
Packing Dimension WxDxH(mm)	522*615*1335	580*620*1485
Refrigerant/amount	R600a/35g	R600a/52g
Loading Capacity(40HQ)	160	124





TWO DOOR NO FROST

REFRIGERATOR



Model	BCD-270W	BCD-338W
Total Gross Capacity (litres)	270	338
Fridge Net Capacity (litres)	212	245
Freezer Net Capacity (litres)	58	93
Defrosting System	No frost	No frost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	E	E
Certification	CB/GCC/CE	CB/GCC/CE/ETL
Net Weight(Kg)/Gross Weight(Kg)	48/52	55/60
Product Dimension WxDxH(mm)	545*580*1664	600*645*1610
Packing Dimension WxDxH(mm)	580*620*1710	635*685*1640
Refrigerant/amount	R600a/54g	R600a/52g
Loading Capacity(40HQ)	99	75



Model	BCD-368W	BCD-458W
Total Gross Capacity (litres)	368	458
Fridge Net Capacity (litres)	275	352
Freezer Net Capacity (litres)	93	106
Defrosting System	No frost	No frost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	E	E
Certification	CB/GCC/CE/ETL	CB/GCC/CE/ETL
Net Weight(Kg)/Gross Weight(Kg)	58/63	72/77
Product Dimension WxDxH(mm)	600*645*1730	700*680*1705
Packing Dimension WxDxH(mm)	635*685*1760	771*755*1755
Refrigerant/amount	R600a/52g	R600a/55g
Loading Capacity(40HQ)	74	67

TWO DOOR NO FROST

REFRIGERATOR



Model	BCD-498W	BCD-610W
Total Gross Capacity (litres)	498	610
Fridge Net Capacity (litres)	392	450
Freezer Net Capacity (litres)	106	160
Defrosting System	No frost	No frost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	E	E
Certification	CB/GCC/CE/ETL	CB/GCC/CE
Net Weight(Kg)/Gross Weight(Kg)	74/80	89/97
Product Dimension WxDxH(mm)	700*680*1845	855*733*1835
Packing Dimension WxDxH(mm)	765*745*1910	902*770*1908
Refrigerant/amount	R600a/55g	R600a/68g
Loading Capacity(40HQ)	66	51




Model	RF-510W	RF-600W
Total Gross Capacity (litres)	514	582
Fridge Net Capacity (litres)	393	444
Freezer Net Capacity (litres)	121	138
Defrosting System	No frost	No frost
Climate Class	N/SN/ST	N/T/ST
Energy Efficiency Class	E-Star	E-Star
Certification	UL	UL
Net Weight(Kg)/Gross Weight(Kg)	74/80	80/86
Product Dimension WxDxH(mm)	750*781*1686	830*781*1686
Packing Dimension WxDxH(mm)	779*843*1758	869*843*1758
Refrigerant/amount	R600a/47g	R600a/47g
Loading Capacity(40HQ)	61	41



TWO DOOR DEFROST

REFRIGERATOR



LOCK & KEY OPTIONAL



ROLL-BOND EVAPORATOR



REVERSIBLE DOOR



GLASS DOOR OPTIONAL



BIG DOOR BALCONY



COLOUR CHOICE



ADJUSTABLE FEET



WIDE CLIMATE TYPE



MINI FREEZER ZONE



SEMI-AUTO DEFROST



GLASS SHELF & WIRE SHELF



LOW NOISE

TWO DOOR DEFROST

REFRIGERATOR



Model	RF-97H	RF-121FH
Total Gross Capacity (litres)	97	121
Fridge Net Capacity (litres)	67	84
Freezer Net Capacity (litres)	30	37
Defrosting System	Defrost	Defrost
Climate Class	N	ST
Energy Efficiency Class	/	/
Certification	/	/
Net Weight(Kg)/Gross Weight(Kg)	28/32	30.5
Product Dimension WxDxH(mm)	477*557*838	475*515*1137
Packing Dimension WxDxH(mm)	522*583*881	537*558*1210
Refrigerant/amount	R600a/29g	R600a/29g
Loading Capacity(40HQ)	258	176




Model	RF-139	RF-97G
Total Gross Capacity (litres)	139	97
Fridge Net Capacity (litres)	102	67
Freezer Net Capacity (litres)	37	30
Defrosting System	Defrost	Defrost
Climate Class	N	N
Energy Efficiency Class	/	/
Certification	/	/
Net Weight(Kg)/Gross Weight(Kg)	32/36	31/35
Product Dimension WxDxH(mm)	475*520*1267	477*549*838
Packing Dimension WxDxH(mm)	537*567*1340	522*575*881
Refrigerant/amount	R600a/38g	R600a/29g
Loading Capacity(40HQ)	120	264



TWO DOOR DEFROST


REFRIGERATOR


		
Model	BCD-75	BCD-85
Total Gross Capacity (litres)	75	85
Fridge Net Capacity (litres)	51	61
Freezer Net Capacity (litres)	24	24
Defrosting System	Defrost	Defrost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	E	E
Certification	CB/GCC/CE	CB/GCC/CE
Net Weight(Kg)/Gross Weight(Kg)	20/22	21/23
Product Dimension WxDxH(mm)	423*435*832	423*435*982
Packing Dimension WxDxH(mm)	460*483*889	460*483*1040
Refrigerant/amount	R600a/30g	R600a/32g
Loading Capacity(40HQ)	375	297

TWO DOOR DEFROST

REFRIGERATOR

		
Model	BCD-95B	BCD-118
Total Gross Capacity (litres)	95	118
Fridge Net Capacity (litres)	67	84
Freezer Net Capacity (litres)	28	34
Defrosting System	Defrost	Defrost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	E	E
Certification	CB/GCC/GMARKCE/UL/ETL	CB/GCC/CE
Net Weight(Kg)/Gross Weight(Kg)	23/25	28/31
Product Dimension WxDxH(mm)	453*520*851	453*525*1181
Packing Dimension WxDxH(mm)	488*553*885	488*553*1235
Refrigerant/amount	R600a/32g	R600a/38g
Loading Capacity(40HQ)	288	192

		
Model	BCD-95	BCD-95R
Total Gross Capacity (litres)	95	95
Fridge Net Capacity (litres)	67	67
Freezer Net Capacity (litres)	28	28
Defrosting System	Defrost	Defrost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	E	E
Certification	CB/GCC/CE/UL/ETL	CB/GCC/GMARKCE/UL/ETL
Net Weight(Kg)/Gross Weight(Kg)	23/25	25/28
Product Dimension WxDxH(mm)	453*520*851	453*520*876
Packing Dimension WxDxH(mm)	488*553*885	488*553*910
Refrigerant/amount	R600a/32g	R600a/32g
Loading Capacity(40HQ)	288	244/228 ( with handle )

		
Model	BCD-138	BCD-175
Total Gross Capacity (litres)	138	175
Fridge Net Capacity (litres)	104	128
Freezer Net Capacity (litres)	34	47
Defrosting System	Defrost	Defrost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	E	F
Certification	CB/GCC/CE/ETL	CB/GCC/CE
Net Weight(Kg)/Gross Weight(Kg)	29/32	35.5/39.5
Product Dimension WxDxH(mm)	453*525*1266	530*545*1315
Packing Dimension WxDxH(mm)	488*553*1320	560*600*1340
Refrigerant/amount	R600a/42g	R600a/44g
Loading Capacity(40HQ)	192	164



TWO DOOR DEFROST

REFRIGERATOR



Model	BCD-195	BCD-225
Total Gross Capacity (litres)	195	225
Fridge Net Capacity (litres)	128	174
Freezer Net Capacity (litres)	67	51
Defrosting System	Defrost	Defrost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	F	E
Certification	CB/GCC/CE	CB/GCC/CE
Net Weight(Kg)/Gross Weight(Kg)	37.5/41.5	37/41
Product Dimension WxDxH(mm)	530*545*1455	523*543*1440
Packing Dimension WxDxH(mm)	560*600*1480	560*600*1490
Refrigerant/amount	R600a/51g	R600a/42g
Loading Capacity(40HQ)	142	140



Model	BCD-230	BCD-275
Total Gross Capacity (litres)	230	275
Fridge Net Capacity (litres)	186	213
Freezer Net Capacity (litres)	44	62
Defrosting System	Defrost	Defrost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	E	F
Certification	CB/GCC/CE/ETL	CB/GCC/CE
Net Weight(Kg)/Gross Weight(Kg)	40/45	46/51
Product Dimension WxDxH(mm)	543*541*1440	550*570*1700
Packing Dimension WxDxH(mm)	577*598*1492	580*600*1740
Refrigerant/amount	R600a/42g	R600a/75g
Loading Capacity(40HQ)	140	106

TWO DOOR DEFROST

REFRIGERATOR



Model	BCD-355	BCD-375
Total Gross Capacity (litres)	355	375
Fridge Net Capacity (litres)	267	267
Freezer Net Capacity (litres)	88	108
Defrosting System	Defrost	Defrost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	F	F
Certification	CB/GCC/CE/ETL	CB/GCC/CE
Net Weight(Kg)/Gross Weight(Kg)	52/57	57/61
Product Dimension WxDxH(mm)	600*590*1710	600*590*1810
Packing Dimension WxDxH(mm)	655*625*1755	640*620*1860
Refrigerant/amount	R600a/78g	R600a/82g
Loading Capacity(40HQ)	77	76



Model	BCD-450	BCD-500
Total Gross Capacity (litres)	450	500
Fridge Net Capacity (litres)	348	348
Freezer Net Capacity (litres)	102	152
Defrosting System	Defrost	Defrost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	F	F
Certification	CB/GCC/CE	CB/GCC/CE
Net Weight(Kg)/Gross Weight(Kg)	65/69	69/76
Product Dimension WxDxH(mm)	703*645*1845	703*645*1942
Packing Dimension WxDxH(mm)	765*672*1910	765*672*1995
Refrigerant/amount	R600a/110g	R600a/115g
Loading Capacity(40HQ)	71	69



37-41


# Single Door Defrost Refrigerator





SINGLE DOOR DEFROST

REFRIGERATOR



SINGLE DOOR DEFROST

REFRIGERATOR



Model	BC-50	BC-50R
Total Gross Capacity (litres)	50	50
Fridge Net Capacity (litres)	50	50
Freezer Net Capacity (litres)	/	/
Defrosting System	Defrost	Defrost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	E	E
Certification	CB/GMARK/CE	CB/GCC/CE/UL/ETL
Net Weight(Kg)/Gross Weight(Kg)	14.5/16	15.5/17.5
Product Dimension WxDxH(mm)	453*455*503	453*456*518
Packing Dimension WxDxH(mm)	465*478*532	465*476*550
Refrigerant/amount	R600a/16g	R600a/16g
Loading Capacity(40HQ)	619	596/368(with handle)



Model	BC-50A	BC-50G
Total Gross Capacity (litres)	50	50
Fridge Net Capacity (litres)	50	50
Freezer Net Capacity (litres)	/	/
Defrosting System	Defrost	Defrost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	E	E
Certification	CB/GCC/CE/UL/ETL	CB/CE
Net Weight(Kg)/Gross Weight(Kg)	14.5/16	16.5/18.5
Product Dimension WxDxH(mm)	453*455*503	453*455*503
Packing Dimension WxDxH(mm)	465*478*532	515*525*550
Refrigerant/amount	R600a/16g	R600a/11g
Loading Capacity(40HQ)	619	488



LOCK & KEY OPTIONAL



ROLL-BOND EVAPORATOR



REVERSIBLE DOOR



GLASS DOOR OPTIONAL



BIG DOOR BALCONY



COLOUR CHOICE



ADJUSTABLE FEET



WIDE CLIMATE TYPE



MINI FREEZER ZONE



SEMI-AUTO DEFROST



GLASS SHELF & WIRE SHELF



LOW NOISE



SINGLE DOOR DEFROST

REFRIGERATOR

		
Model	BC-70A	BC-70G
Total Gross Capacity (litres)	70	70
Fridge Net Capacity (litres)	70	70
Freezer Net Capacity (litres)	/	/
Defrosting System	Defrost	Defrost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	E	E
Certification	CB/GCC/CE/UL/ETL	CB/CE
Net Weight(Kg)/Gross Weight(Kg)	17/19	20/22
Product Dimension WxDxH(mm)	453*455*702	453*455*702
Packing Dimension WxDxH(mm)	463*476*732	515*525*760
Refrigerant/amount	R600a/18g	R600a/18g
Loading Capacity(40HQ)	446	322

SINGLE DOOR DEFROST

REFRIGERATOR

		
Model	BC-90G	BC-90R
Total Gross Capacity (litres)	90	90
Fridge Net Capacity (litres)	90	90
Freezer Net Capacity (litres)	/	/
Defrosting System	Defrost	Defrost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	E	E
Certification	CB/CE	CB/GCC/CE/UL/ETL
Net Weight(Kg)/Gross Weight(Kg)	23/25	22/24
Product Dimension WxDxH(mm)	453*455*825	453*456*840
Packing Dimension WxDxH(mm)	515*525*885	465*476*885
Refrigerant/amount	R600a/19g	R600a/22g
Loading Capacity(40HQ)	288	288

		
Model	BC-90	BC-90A
Total Gross Capacity (litres)	90	90
Fridge Net Capacity (litres)	90	90
Freezer Net Capacity (litres)	/	/
Defrosting System	Defrost	Defrost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	E	E
Certification	CB/GCC/CE	CB/GCC/CE/UL/ETL
Net Weight(Kg)/Gross Weight(Kg)	20/22	20/22
Product Dimension WxDxH(mm)	453*456*825	453*456*825
Packing Dimension WxDxH(mm)	465*476*860	465*476*860
Refrigerant/amount	R600a/23g	R600a/22g
Loading Capacity(40HQ)	375	375

		
Model	BC-132A	BC-132G
Total Gross Capacity (litres)	132	132
Fridge Net Capacity (litres)	132	132
Freezer Net Capacity (litres)	/	/
Defrosting System	Defrost	Defrost
Climate Class	N/T/ST	N/T/ST
Energy Efficiency Class	E	E
Certification	CB/GCC/CE/UL/ETL	CB/CE
Net Weight(Kg)/Gross Weight(Kg)	22/24	27/29
Product Dimension WxDxH(mm)	523*530*825	523*530*835
Packing Dimension WxDxH(mm)	560*580*865	560*600*890
Refrigerant/amount	R600a/26g	R600a/22g
Loading Capacity(40HQ)	240	240



SINGLE DOOR DEFROST

REFRIGERATOR



Model	BC-160	BC-190	AF-86
Total Gross Capacity (litres)	160	190	86
Fridge Net Capacity (litres)	135	165	/
Freezer Net Capacity (litres)	25	25	86
Defrosting System	Defrost	Defrost	Defrost
Climate Class	N/T/ST	N/T/ST	N
Energy Efficiency Class	E	E	/
Certification	CB/GCC/CE/UL	CB/GCC/CE	/
Net Weight(Kg)/Gross Weight(Kg)	31/35	32/36	36/40
Product Dimension WxDxH(mm)	525*543*1144	525*543*1301	519*600*830mm
Packing Dimension WxDxH(mm)	560*600*1178	560*600*1335	582*658*872mm
Refrigerant/amount	R600a/26g	R600a/27g	R600a/40g
Loading Capacity(40HQ)	164	164	215




Model	AF-116	AF-146
Total Gross Capacity (litres)	116	146
Fridge Net Capacity (litres)	/	/
Freezer Net Capacity (litres)	116	146
Defrosting System	Defrost	Defrost
Climate Class	N	N
Energy Efficiency Class	/	/
Certification	/	/
Net Weight(Kg)/Gross Weight(Kg)	40/44	44/48
Product Dimension WxDxH(mm)	519*600*1040mm	519*600*1225mm
Packing Dimension WxDxH(mm)	582*658*1082mm	582*658*1267mm
Refrigerant/amount	R600a/43g	R600a/47g
Loading Capacity(40HQ)	144	144



NO FROST UPRIGHT

FREEZER



LOCK & KEY OPTIONAL



ROLL-BOND EVAPORATOR



REVERSIBLE DOOR



GLASS DOOR OPTIONAL



BIG DOOR BALCONY



COLOUR CHOICE



ADJUSTABLE FEET



WIDE CLIMATE TYPE



MINI FREEZER ZONE



SEMI-AUTO DEFROST



GLASS SHELF & WIRE SHELF



LOW NOISE

NO FROST UPRIGHT

FREEZER



Model	AF-120W	AF-136W
Total Gross Capacity (litres)	120	136
Fridge Net Capacity (litres)	/	/
Freezer Net Capacity (litres)	120	136
Defrosting System	No frost	No frost
Climate Class	N	ST
Energy Efficiency Class	F	F
Certification	/	/
Net Weight(Kg)/Gross Weight(Kg)	37/41	38/43
Product Dimension WxDxH(mm)	475*532*1250mm	515*620*1175
Packing Dimension WxDxH(mm)	537*593*1310mm	581*659*1233
Refrigerant/amount	R600a/42g	R600a/45g
Loading Capacity(40HQ)	172	144



Model	AF-156WG	AF-151W
Total Gross Capacity (litres)	156	151
Fridge Net Capacity (litres)	/	/
Freezer Net Capacity (litres)	156	151
Defrosting System	Nofrost	Nofrost
Climate Class	ST	ST
Energy Efficiency Class	F	F
Certification	/	/
Net Weight(Kg)/Gross Weight(Kg)	43/49	43/49
Product Dimension WxDxH(mm)	515*620*1300	515*620*1300
Packing Dimension WxDxH(mm)	605*666*1388	605*666*1388
Refrigerant/amount	R600a/46g	R600a/46g
Loading Capacity(40HQ)	114	114



NO FROST UPRIGHT

FREEZER



Model	AF-196W	AF-196WG
Total Gross Capacity (litres)	196	196
Fridge Net Capacity (litres)	/	/
Freezer Net Capacity (litres)	196	196
Defrosting System	No frost	No frost
Climate Class	ST	ST
Energy Efficiency Class	F	F
Certification	CB	CB
Net Weight(Kg)/Gross Weight(Kg)	47/52	47/52
Product Dimension WxDxH(mm)	595*620*1411	595*620*1411
Packing Dimension WxDxH(mm)	654*685*1517	654*685*1517
Refrigerant/amount	R600a/37g	R600a/37g
Loading Capacity(40HQ)	74	74



Model	AF-236W	AF-236WG
Total Gross Capacity (litres)	236	236
Fridge Net Capacity (litres)	/	/
Freezer Net Capacity (litres)	236	236
Defrosting System	No frost	No frost
Climate Class	ST	ST
Energy Efficiency Class	F	F
Certification	/	CB
Net Weight(Kg)/Gross Weight(Kg)	55/60	60/65
Product Dimension WxDxH(mm)	595*661*1649	595*620*1644
Packing Dimension WxDxH(mm)	651*652*1720	654*685*1735
Refrigerant/amount	R600a/37g	R600a/37g
Loading Capacity(40HQ)	74	74

